








SPECIFICATION FOR APPROVAL

CUSTOMER:				CUSTOMER'S PART NAME			
DESCRIPTION: CA3216N-601Y				DATE: 2007/5/2			
(1).MECHANICAL ASSEMBLY 				A		3.2±0.2	m/m
				B		1.6±0.2	m/m
				C		0.8±0.2	m/m
				D1		0.4±0.2	m/m
				D2		0.3±0.2	m/m
				P		0.8±0.1	m/m
1ST COLOR		2ND COLOR		3RD COLOR		4 TH COLOR	
(2)ELECTRICAL REQUIREMENTS				(3) SCHEMATIC			
Z	600±25% Ω	TEST FREQUENCY	100MHZ/100mV				
RDC	0.65 (MAX)Ω	TEST FREQUENCY					
Q		TEST FREQUENCY					
SRF		TEST FREQUENCY					
IDC	100 mA	TEST FREQUENCY					
(4)TEST INSTRUMENTS							
<input type="checkbox"/> HP 34401A MULTIMETER <input type="checkbox"/> HP 4260A UNIVERSAL BRIDGE <input checked="" type="checkbox"/> HP 4291B RF IMPEDANCE <input type="checkbox"/> DELICA HAM 310 GRID-DIP METER <input type="checkbox"/> DMC-230 DIGITAL DIP METER <input type="checkbox"/> DMC-470 DIGITAL DIP METER <input type="checkbox"/> DIGITAL MULTIMETER SC-7401 FOR RDC				<input type="checkbox"/> HP 4191A RF VECTOR IMPEDANCE METER <input type="checkbox"/> HP 4195A NETWORK/SPECTRUM ANALYZER <input type="checkbox"/> AD-5812 DIGITAL LOW-OHMMETER <input type="checkbox"/> HP 4285PRECISION LCR METER (Q) <input type="checkbox"/> CHEN HWA 1061+CHEN HWA 301A (IDC) <input type="checkbox"/> HP 6632 A SYSTEM DC POWER SUPPLY FOR IDC <input checked="" type="checkbox"/> HP 4338 MILLIOHMMETER			
REVISION	DRAWN BY CHECKED BY	MAT'L	SPEC.			APPROVED BY	
							
						CHECKED BY	
							
						DRAWN BY	
							

TEST DATA

CUSTOMER		DATE	2007/5/2				
DESCRIPTION	CA3216N-601Y	QUANTITY					
TEST ITEM	Z (Ω)	RDC (Ω)					
SPEC YOUR							
SPEC SUCCEST	600±25%	0.65(MAX)					
TEST FREQ.	100 MHZ/ 100mV						
1	654.9	0.187					
2	628.5	0.190					
3	560.3	0.190					
4	617.1	0.201					
5	556.8	0.203					
6	596.6	0.210					
7	611.0	0.182					
8	617.5	0.189					
9	620.4	0.197					
10	589.2	0.194					
X	605.2	0.194					
R	98.1	0.028					
YOUR SAMPLE							
TEST CONDITION:	TEMP.	°C	R.H.	%			
APPROVED BY			CHECKED BY			DRAWN BY	

CA3216N-601Y

